



41
CERTIFICATE OF MAILING
I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED
WITH THE UNITED STATES POSTAL SERVICE WITH SUFFICIENT
POSTAGE AS FIRST-CLASS MAIL IN AN ENVELOPE ADDRESSED TO:
COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-
1450, ON January 26, 2004

My T Jeneff

Attorney for Applicant

1/26/04
DATE

1617 \$

Attorney Docket No. P50951

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Dillion et al. January 26, 2004
Serial No.: 10/088,283 Group Art Unit No.: 1617
Filed: March 13, 2002 Examiner: R. Travers
For: Use of CSAIDS in Rhinovirus Infection

TRANSMITTAL LETTER

Transmitted herewith is an Extension of Time in the above-identified application.

EXTENSION OF TIME PETITION

Applicants hereby petition for an extension of time for response from the date of the Examiner's action as needed, the fee being as follows:

()	one month extension.....	\$ 110
()	two months extension.....	\$ 420
(X)	three months extension.....	\$ 950
()	four months extension (not beyond statutory time period).....	\$1480
()	five months extension	\$2010

Charge \$950.00 to Deposit Account No. 19-2570. Two copies of this form are enclosed.

Please charge any additional fees under 37 CFR 1.16 or 1.17 which may be required by this paper, or credit any overpayment, to Deposit Account No. 19-2570. Also, should the Patent and Trademark Office determine that the fee calculated in the above extension petition is not deemed sufficient to have this response considered as being timely filed, this constitutes a petition for extension of time for the minimum period to effect timely filing, and the Commissioner is authorized to debit any necessary fee to said deposit account.

02/03/2004 MBIZUNES 00000138 192570 10088283
01 FC:1253 950.00 DA

Respectfully submitted,

Edward H Gimmi
Edward H Gimmi
Attorney for Applicants
Registration No. 38,891

GLAXOSMITHKLINE
Corporate Intellectual Property - UW2220
P.O. Box 1539
King of Prussia, PA 19406-0939
Phone (610) 270-4478 Fax (610) 270-5090

RECEIVED
FEB 05 2004
TECH CENTER 1600/2900